

MPI Specifications for MAB Paints/Sherwin-Williams Products

	Category Name	Products	Item #	E Range	LEED Compliant (Yes/No)	LEED Compliant Alternative
<a href="#">1</a>	<a href="#">Aluminum Paint</a>	<b>S-W Silver-Brite Aluminum</b>	B59S11	E2	No	No Applicable LEED Prod Catagory
2	Aluminum Paint, Heat Resistant (Up to 427° C - 800° F.)	Flame Control Low VOC Heat Resistant Coating	888 series	E2	No	No Applicable LEED Prod Catagory
3	Primer, Alkali Resistant, Water Based	Lok Tite Acrylic Primer and Stain Sealer	MB056159/145	E3	Yes	
<a href="#">4</a>	<a href="#">Block Filler, Latex, Interior/Exterior</a>	<b>Block Kote #1000 100% Acrylic Sprayable Block Filler</b>	MB064145		Yes	
5	Primer, Alkyd for Exterior Wood	Sea Shore Exterior Oil Stain Blocking Primer	MB056987	E3	N/A	
<a href="#">6</a>	<a href="#">Primer, Latex for Exterior Wood</a>	<b>Sea Shore Exterior Latex Primer</b>	MB056958		N/A	
<a href="#">6</a>	<a href="#">Primer, Latex for Exterior Wood</a>	<b>Lok Tite Acrylic Primer and Stain Sealer</b>	MB056159/145	E2	N/A	
7	Primer, Oil for Exterior Wood	Sea Shore Exterior Oil Stain Blocking Primer	MB056987	E2	N/A	
8	Alkyd, Exterior Flat (MPI Gloss Level 1)	S-W Exterior Alkyd Solid Color Stain	A14 series	* E2	N/A	
9	Alkyd, Exterior Gloss (MPI Gloss Level 6)	Rust-O-Lastic I/E High Performance Alkyd Finish Coating	MB274W165	E2	N/A	
<a href="#">10</a>	<a href="#">Latex, Exterior Flat (MPI Gloss Level 1)</a>	<b>Sea Shore Exterior 100% Acrylic Flat House Paint</b>	MB061150	E2	N/A	
<a href="#">10</a>	<a href="#">Latex, Exterior Flat (MPI Gloss Level 1)</a>	<b>Fresh Kote Exterior 100% Acrylic Flat House Paint</b>	MB409150	E2	N/A	
<a href="#">11</a>	<a href="#">Latex, Exterior Semi-Gloss (MPI Gloss Level 5)</a>	<b>Sea Shore Exterior 100% Acrylic Semi-Gloss Trim En</b>	MB024150	E2	N/A	

**Bold** = MPI Approved Product List

\* = Not OTC/VOC Compliant

\*\* = OTC/VOC Compliant in Quarts Only

Products not bolded are not yet MPI approved but represent the quality intent of the MPI specification.

MPI Specifications for MAB Paints/Sherwin-Williams Products

	Category Name	Products	Item #	E Range	LEED Compliant (Yes/No)	LEED Compliant Alternative
13	Stain, Exterior, Solvent Based, Semi-Transparent	S-W DeckScapes OTC-VOC Compliant Alkyd/Oil Semi-Transparent Stain	A18(x) series	E3	N/A	
14	Stain, Exterior, Solvent Based, Solid Hide	S-W Exterior Alkyd Solid Color Stain	A14 series	* E3	N/A	
15	Latex, Exterior, Low Sheen (MPI Gloss Level 3/4 )	Sea Shore Exterior 100% Acrylic Satin House Paint	MB060150	E1	N/A	
16	Stain, Exterior, Water Based, Solid Hide	S-W WoodScapes House Stain Exterior Acrylic Solid Color	A15 (x)	E1	N/A	
17	Primer, Bonding, Water Based	SuperBond Acrylic Latex Primer	MB036158	E0	Yes	
18	Primer, Zinc Rich, Organic	Rust-O-Lastic Zinc Dust Primer	MB073278	E2	No	
19	<a href="#">Primer, Zinc Rich, Inorganic</a>	<b>S-W Zinc Clad II Ethyl Silicate</b>	B69V3/B69D11	E1	No	
20	Primer, Zinc Rich, Epoxy	Ply-Tile Epoxy Organic Zinc Rich Primer	MB011230/MB011231/MB0732941	E2	No	
21	Heat Resistant Coating, (up to 205° C - 402° F), MPI Gloss Level 5- 6	Flame Control Low VOC Heat Resistant Coating	888 series	E2	No	No Applicable LEED Prod Catagory
22	<a href="#">Aluminum Paint, High Heat (up to 590° C / 1100° F)</a>	<b>S-W Kem Hi-Temp 1200</b>	1200	* E2	No	No Applicable LEED Prod Catagory
23	Primer, Metal, Surface Tolerant	Rust-O-Lastic Anti-Corrosive Int/Ext Metal Primer	MB0731321	E2	No	
24	<a href="#">Lacquer, Sanding Sealer, White</a>	<b>S-W Opex Lacquer Primer/Sealer</b>	P61W1	E3	No	
25	Cleaner, Etching, for Galvanized Metal	H&C Etching Solution	50.060004/1081116	E3	N/A	
26	Primer, Galvanized Metal, Cementitious	No Offering				Closest for LEED jobs,S-W Pro-Cryl
27	Floor Enamel, Alkyd, Gloss (MPI Gloss Level 6)	No Offering				ArmorSeal Tread-Plex B90-Series

**Bold** = MPI Approved Product List

\* = Not OTC/VOC Compliant

\*\* = OTC/VOC Compliant in Quarts Only

Products not bolded are not yet MPI approved but represent the quality intent of the MPI specification.

MPI Specifications for MAB Paints/Sherwin-Williams Products

	Category Name	Products	Item #	E Range	LEED Compliant (Yes/No)	LEED Compliant Alternative
28	Varnish, Marine Spar, Exterior, Gloss (MPI Gloss Level 6)	Minwax 350 VOC Helmsman Spar Urethane, Gloss	1337708	E3	Yes	
29	Varnish, with UV Inhibitor, Exterior, Gloss (MPI Gloss Level 6)	Minwax 350 VOC Helmsman Spar Urethane, Gloss	1337708	E3	Yes	
30	Varnish, with UV Inhibitor, Exterior, Semi-Gloss (MPI Gloss Level 5)	Minwax 350 VOC Helmsman Spar Urethane, Semi-Gloss	1337716	E3	Yes	
<a href="#">31</a>	<a href="#">Varnish, Polyurethane, Moisture Cured, Gloss (MPI Gloss Level 6)</a>	<b>S-W ArmorSeal Rexthane 1 MCU, Clear</b>	B65C00060	E3	No	
32	<a href="#">Traffic Marking Paint, Alkyd</a>	S-W ProMar Low VOC Acrylic Copolymer Traffic White & Yellow	800055931 and 800055923	E3	No	N/A to LEED if used exterior
33	Stain, for Exterior Wood Decks	S-W DeckScapes OTC-VOC Compliant Alkyd/Oil Semi-Transparent Stain	A18X008XX series	E3	N/A	
34	Water Repellent, Clear (Paintable)	No Offering		E3		
<a href="#">35</a>	<a href="#">Bituminous Coating</a>	<b>S-W Tar Guard Coal Tar Epoxy</b>	B69B60/B69V60 series	E3	No	
36	Sealer, for Knots	S-W White Pigmented Shellac	B49W850	E0	Yes	
<a href="#">37</a>	<a href="#">Preservative, for Exterior Wood</a>	<b>S-W Cuprinol #10 Green Preservative</b>	A14T210	* E1	No	
38	Elastomeric Coating, Exterior, Water Based, Non-Flat	S-W ConFLEX XL Smooth Elastomeric High Build Coating	A5-400 Series	E3	N/A	
<a href="#">39</a>	<a href="#">Primer, Latex, for Interior Wood</a>	<b>Lok Tite Acrylic Primer and Stain Sealer</b>	MB056159/145	E2	Yes	
40	Latex, Exterior, High Build	S-W Duration Exterior Latex Coating	K32 series	E2	N/A	
<a href="#">41</a>	<a href="#">Textured Coating, Latex, Non-Flat</a>	<b>S-W Ultra Crete Acrylic Textured Coating</b>	A44W800 series	E3	N/A	

**Bold** = MPI Approved Product List

\* = Not OTC/VOC Compliant

\*\* = OTC/VOC Compliant in Quarts Only

Products not bolded are not yet MPI approved but represent the quality intent of the MPI specification.

MPI Specifications for MAB Paints/Sherwin-Williams Products

	Category Name	Products	Item #	E Range	LEED Compliant (Yes/No)	LEED Compliant Alternative
<a href="#">42</a>	<a href="#">Textured Coating, Latex, Flat</a>	<b>Modac Acrylic Texture Coating</b>	MB0199975	E0	N/A	
43	Latex, Interior ( 'satin-like' - MPI Gloss Level 4)	Rich Lux Interior Latex Low Lustre	MB028150	E1	Yes	
<a href="#">44</a>	<a href="#">Latex, Interior, ('velvet-like' – MPI Gloss Level 2)</a>	<b>Rich Lux Interior Latex Eggshell</b>	MB029150	E1	Yes	
<a href="#">44</a>	<a href="#">Latex, Interior ( "velvet-like"- MPI Gloss Level 2)</a>	<b>Rich Lux Lustre Lite Interior Latex</b>	MB033150	E2	Yes	
<a href="#">44</a>	<a href="#">Latex Interior ("velvet-like"-MPI Gloss level 2)</a>	<b>Fresh Kote Interior Latex Eggshell Enamel</b>	MB405150	E1	Yes	
45	Primer Sealer, Alkyd, Interior	Lok-Tite Alkyd Stain Sealer	MB037159	E2	Y, L-CI only	Yes, LEED-CI Program only
46	Undercoat, Enamel, Interior	SuperBond Alkyd Primer-Stain Killer Bond Coat	MB036159	E2	Y, L-CI only	Yes, LEED-CI Program only
47	Alkyd, Interior, Semi-Gloss (MPI Gloss Level 5)	Rich Lux Interior Alkyd Low Lustre <i>To Be Discontinued</i>	MB021165	** E2	No	Rust-O-Lastic DTM S/G MB263
48	Interior Alkyd, Gloss, MPI Gloss Level 6	S-W PRO INDUSTRIAL Industrial Enamel 100	B54Z-100	E3	Yes	
<a href="#">49</a>	<a href="#">Alkyd, Interior, Flat (MPI Gloss Level 1)</a>	<b>S-W Pro Mar 200 Interior Alkyd Flat</b>	B32W251	* E1	No	S-W Dura Home Int MatteA96-1200
50	Primer Sealer, Latex, Interior	Prime Fast Interior Latex Drywall Primer	MB037138	E2	Yes	
50	Primer Sealer, Latex, Interior	Rich Lux Interior Latex Sealer/Undercoater	MB037154	E2	Yes	
51	Alkyd, Interior ( "eggshell-like" - MPI Gloss Level 3)	No Offering				S-W Dura Home Int SatinA97-1200
52	Latex, Interior, ('eggshell-like' – MPI Gloss Level 3)	Rich Lux Interior Latex Low Lustre	MB028150	E1	Yes	

**Bold** = MPI Approved Product List

\* = Not OTC/VOC Compliant

\*\* = OTC/VOC Compliant in Quarts Only

Products not bolded are not yet MPI approved but represent the quality intent of the MPI specification.

MPI Specifications for MAB Paints/Sherwin-Williams Products

	Category Name	Products	Item #	E Range	LEED Compliant (Yes/No)	LEED Compliant Alternative
<a href="#">53</a>	<a href="#">Latex, Interior, Flat (MPI Gloss Level 1)</a>	<b>Rich Lux Wal-Shield Interior Acrylic Latex Flat</b>	MB041150	E2	No	Enviropure Interior Latex Flat
<a href="#">53</a>	<a href="#">Latex, Interior, Flat (MPI Gloss Level 1)</a>	<b>Fresh Kote Interior Latex Flat</b>	MB402150		No	Enviropure Interior Latex Flat
<a href="#">54</a>	<a href="#">Latex, Interior, Semi-Gloss, (MPI Gloss Level 5)</a>	<b>Rich Lux Interior Acrylic Latex Semi-Gloss Enamel</b>	MB023150	E1	Yes	
<a href="#">54</a>	<a href="#">Latex, Interior, Semi-Gloss (MPI Gloss Level 5)</a>	<b>Fresh Kote Interior Latex Semi-Gloss Enamel</b>	MB410150	E1	Yes	
<a href="#">55</a>	<a href="#">Dry Fall, Alkyd, Flat</a>	<b>S-W Super Save-Lite Alkyd Dry Fall Flat, Brilliant White</b>	B48W00061	E3	No	Master Painters Dry Fall Flat Latex
56	Varnish, Interior, Urethane, Oil Modified, Gloss	Minwax 350 VOC High Build Polyurethane Gloss	710900000	E3	Yes	
57	Varnish, Interior, Urethane, Oil Modified, Satin	Minwax 350 VOC High Build Polyurethane Satin	710920000	E3	Yes	
<a href="#">58</a>	<a href="#">Stain, Interior, for Concrete Floors</a>	<b>H&amp;C Silicone Acrylic Concrete Sealer</b>	10.10401	E1	No	H&C SolidColor WB Concrete Stain
59	Floor Paint, Alkyd, Low Gloss	No Offering for an Alkyd Floor Paint, Low Gloss				ArmorSeal Tread-Plex B90-Series
60	Floor Paint, Latex, Low Gloss	No Offering for a Latex Floor Paint, Low Gloss				ArmorSeal Tread-Plex B90-Series
61	Primer Sealer, Low Permeability, Latex, Interior	S-W Int Latex Moisture Vapor Barrier	B72W1		Yes	
<a href="#">62</a>	<a href="#">Fire Retardant Coating, Interior, Clear (ULC Approved)</a>	<b>Flame Control Fire Retardant Varnish</b>	129,130	E2	No	No Applicable LEED Prod Catagory
<a href="#">63</a>	<a href="#">Fire Retardant Coating, Alkyd, Interior, Flat (ULC Approved)</a>	<b>Flame Control 10-10A Flat Intumescent Fire Retardant</b>	8733750 (gallon)	E2	No	No Applicable LEED Prod Catagory

**Bold** = MPI Approved Product List

\* = Not OTC/VOC Compliant

\*\* = OTC/VOC Compliant in Quarts Only

Products not bolded are not yet MPI approved but represent the quality intent of the MPI specification.

MPI Specifications for MAB Paints/Sherwin-Williams Products

	Category Name	Products	Item #	E Range	LEED Compliant (Yes/No)	LEED Compliant Alternative
<a href="#">64</a>	<a href="#">Fire Retardant Coating, Latex, Interior, Flat (ULC Approved)</a>	<b>Flame Control 20-20A Flat Intumescent Fire Retardant</b>	1144732	E2	No	No Applicable LEED Prod Catagory
<a href="#">65</a>	<a href="#">Fire Retardant Sealer, Alkyd, Interior (ULC Approved)</a>	<b>Flame Control #6 Clear Wood Sealer</b>	4119681	E1	No	No Applicable LEED Prod Catagory
		Flame Control #66 Clr. Wood Sealer, Low VOC ver. of #6	8666703		No	No Applicable LEED Prod Catagory
<a href="#">66</a>	<a href="#">Fire Retardant Top-Coat, Clear, Alkyd, Interior (ULC Approved)</a>	<b>Flame Control 166/167 Fire Retardant Varnish</b>		E2, E1	No	No Applicable LEED Prod Catagory
<a href="#">67</a>	<a href="#">Fire Retardant Top-Coat, Latex, Interior (ULC Approved)</a>	<b>Flame Control 40-40A Low Gloss Latex Fire Resistant</b>	4501326	E2	No	No Applicable LEED Prod Catagory
68	Floor Paint, Latex, Gloss	Rich Lux Latex Gloss Patio and Deck Enamel	MB077 series	E0	No	ArmorSeal Tread-Plex B90-Series
69	Primer, Bonding, Solvent Based	XIM 400W ES White	1637032	E3	Yes	
70	Acrylic Coating, High Build, for Pavement Marking	Product Category Under Development				
71	Varnish, Polyurethane, Moisture Cured, Flat (MPI Gloss Level 1)	No Offering				
72	Polyurethane, Two-Component, Pigmented, Gloss(MPI Gloss Level 6)	S-W SHERTHANE 2K Acrylic Aliphatic Urethane, Gloss	B65-150	E2	No	S-W WB Acrolon UrethaneB65-720
73	Varnish, Interior, Flat	No Offering				
74	Varnish, Interior, Semi-Gloss	Minwax 350 VOC High Build Polyurethane, Semi-Gloss	9919937	E3	Yes	
<a href="#">75</a>	<a href="#">Varnish, Interior, Gloss</a>	<b>S-W Wood Classics Fast Dry Varnish Gloss</b>	A66V391	** E1	No	Minwax 350 VOC HB Poly Gloss
76	Primer, Alkyd, Quick Dry, for Metal	S-W Kem Bond HS Universal Alkyd Primer	B50WZ4	E3	No	S-W PRO IND Pro-Cryl UnivAcryl Pr

**Bold** = MPI Approved Product List

\* = Not OTC/VOC Compliant

\*\* = OTC/VOC Compliant in Quarts Only

Products not bolded are not yet MPI approved but represent the quality intent of the MPI specification.

MPI Specifications for MAB Paints/Sherwin-Williams Products

	Category Name	Products	Item #	E Range	LEED Compliant (Yes/No)	LEED Compliant Alternative
77	Epoxy, Gloss	S-W PRO INDUSTRIAL High Performance Epoxy, Gloss	B67-200 series	E3	No	Call for recommendation
78	Varnish, Aliphatic Polyurethane, Two-Component	No Offering				
79	Primer, Alkyd, Anti-Corrosive for Metal	Rust-O-Lastic Anti-Corrosive Int/Ext Primer, Gray	MB073217	E2	No	S-W PRO IND Pro-Cryl UnivAcryl Pr
79	Primer, Alkyd, Anti-Corrosive for Metal	Rust-O-Lastic Anti-Corrosive Int/Ext Primer, White	MB073132	E2	No	S-W PRO IND Pro-Cryl UnivAcryl Pr
80	Primer, Vinyl Wash	S-W DTM Wash Primer	B71Y00001	E3	Yes	
81	Alkyd, Quick Dry, Semi-Gloss	No Offering				
<a href="#">82</a>	<a href="#">Epoxy Deck Coating (Slip-Resistant)</a>	<b>American Safety Two Component Anti Slip Epoxy</b>	AST-250	E2	No	
<a href="#">83</a>	<a href="#">Polyurethane Deck Coating (Slip Resistant)</a>	<b>ArmorSeal Floor-Thane CRU</b>	B65-800 series	E2	No	
<a href="#">84</a>	<a href="#">Lacquer, Sanding Sealer, Clear</a>	<b>Gemini High Build Lacquer Sealer</b>	1307	* E2	No	
<a href="#">85</a>	<a href="#">Lacquer, Clear, Satin</a>	<b>Sher-Wood Moisture Resistant Lacquer</b>	T70F22	* E2	No	
<a href="#">86</a>	<a href="#">Lacquer, Clear, Gloss</a>	<b>Sher-Wood Moisture Resistant Lacquer</b>	T70C20	* E2	No	
<a href="#">87</a>	<a href="#">Lacquer, Clear, Flat</a>	<b>Sher-Wood Moisture Resistant Lacquer</b>	T70F23	* E2	No	
<a href="#">88</a>	<a href="#">Shellac</a>	<b>Zinsser Bulls Eye Clear Shellac 3 lb. Cut</b>	1601137	E1	Yes	
89	Dry Fall, Alkyd, Non-Flat	S-W Super Save Lite Alkyd Dry Fall, Semi-Gloss or Eg-Shel	B47W00062 or B85WA13	E2	No	S-W B42W2 Eg-Sh or B42W17 S/G

**Bold** = MPI Approved Product List

\* = Not OTC/VOC Compliant

\*\* = OTC/VOC Compliant in Quarts Only

Products not bolded are not yet MPI approved but represent the quality intent of the MPI specification.

MPI Specifications for MAB Paints/Sherwin-Williams Products

	Category Name	Products	Item #	E Range	LEED Compliant (Yes/No)	LEED Compliant Alternative
90	Stain, Semi-Transparent, for Interior Wood	S-W Wood Classics Interior Oil Stain - 250	A49-800 Series	E3	Yes	or use Minwax250VOCWoodStains
<a href="#">91</a>	<a href="#">Paste, Wood Filler</a>	<b>S-W Sherwood Natural Wood Filler</b>	D70T1	E1	No	No Applicable LEED Prod Catagory
<a href="#">92</a>	<a href="#">Danish Oil</a>	<b>Watco Danish Oil-Natural</b>	5878160	E0	No	
<a href="#">94</a>	<a href="#">Alkyd, Exterior, Semi-Gloss (MPI Gloss Level 5)</a>	<b>S-W Classic 99 Interior/Exterior Semi-Gloss Oil</b>	A40W51	* E1	No	S-W Dur Home Int Ltx SG, Int only
95	Primer, Quick Dry, for Aluminum	Rust-O-Lastic High Performance Anti-Corrosive Primer, Gray	MB273A217	E3	No	S-W PRO IND Pro-Cryl UnivAcryl Pr
95	Primer, Quick Dry, for Aluminum	Rust-O-Lastic High Performance Anti-Corrosive Primer, White	MB273W132	E3	No	S-W PRO IND Pro-Cryl UnivAcryl Pr
<a href="#">96</a>	<a href="#">Alkyd, Quick Dry, Gloss</a>	<b>S-W Steel Spec Fast Dry Alkyd Topcoat, Gloss</b>	B55-800 series	E3	No	
97	Traffic Marking Paint, Latex	Latex Zone Marking Paint, White and Yellow	MB072190 and MB072390	E2	Y,Whcolor only	N/A to LEED if used exterior
<a href="#">98</a>	<a href="#">Epoxy, High Build, Gloss</a>	<b>S-W PRO INDUSTRIAL High Performance Epoxy, Gloss</b>	B67-200	E3	No	Call for recommendation
<a href="#">99</a>	<a href="#">Sealer, Water Based, for Concrete Floors</a>	<b>H&amp;C Concrete &amp; Masonry Waterproofing Sealer</b>	50.043054	E2	Yes	Qualifies as a "Sealer" for LEED
100	Linseed Oil, Boiled	Boiled Linseed Oil	1524891	E2	No	
<a href="#">101</a>	<a href="#">Primer, Epoxy, Anti Corrosive, for Metal</a>	<b>S-W Dura Plate 235 Multi-Purpose Epoxy</b>	B67W235/B67V235	E3	No	
<a href="#">102</a>	<a href="#">Alkyd, Sanding Sealer, Clear</a>	<b>Minit Dri Sanding Sealer</b>	MB037005	** E2	No	Zinsser Seal Coat, Sales #9299330

**Bold** = MPI Approved Product List

\* = Not OTC/VOC Compliant

\*\* = OTC/VOC Compliant in Quarts Only

Products not bolded are not yet MPI approved but represent the quality intent of the MPI specification.

MPI Specifications for MAB Paints/Sherwin-Williams Products

	Category Name	Products	Item #	E Range	LEED Compliant (Yes/No)	LEED Compliant Alternative
104	Sealer, Solvent Based, for Concrete Floors	H&C Concrete Sealer Solvent Based, Clear	1071547	E1	No	
<a href="#">105</a>	<a href="#">Graffiti Protection, Top Coat</a>	<b>Ply-Thane Clear Coat (formerly Anti-Graffiti Coating)</b>	MB0520675 GL or MB0520685 Matte	E1	No	
106	Vinyl, High Build	No Offering				
107	Primer, Rust-Inhibitive, Water Based	HydroPrime Acrylic Metal Primer	MB073189	E3	Yes	
108	Epoxy, High Build, Low Gloss	Ply-Mastic 650 High Build Epoxy Coating	MB065165	E2	No	Call for recommendation
<a href="#">109</a>	<a href="#">Fire Resistant Sealer, for Exterior Wood (ULC Approved)</a>	<b>Flame Control 10</b>	4080297	E1	N/A	
110	W.B. Light Industrial Coating	Refer to MPI 151, 153, 154, 161, 163, 164				
<a href="#">111</a>	<a href="#">Varnish, Fire Retardant (ULC Approved), Exterior</a>	<b>Flame Control 129/130</b>	4002168/varies w/sheen	E2	N/A	
113	Elastomeric, Pigmented, Exterior, Water Based, Flat	Acra-Lastic II 1400 High Build Smooth Texture	MB214146	E3	N/A	
114	Latex, Interior, Gloss (MPI Gloss Level 6)	Rich Lux Interior Architectural High Gloss Latex Enamel	MB022127	E2	Yes	
115	Epoxy, Water Based, Interior, Gloss (MPI Gloss Level 6)	S-W Water Based Catalyzed Epoxy, Gloss	B70 series	E2	Y, SG EW only	Extra White base colors in SG only
<a href="#">116</a>	<a href="#">Block Filler, Epoxy</a>	<b>S-W Kem Cati-Coat HS Epoxy Filler/Sealer</b>	B42W00400/B42V00401	E1	No	Call for recommendation
117	Water Repellent, Clear (not paintable)	No Offering				
<a href="#">118</a>	<a href="#">Dry Fall, Latex, Flat</a>	<b>Master Painters Dry Fall Interior Latex Flat</b>	MB013171	E3	Yes	
119	Latex, Exterior, Gloss (MPI Gloss Level 6)	No Offering				N/A to LEED projects

**Bold** = MPI Approved Product List

\* = Not OTC/VOC Compliant

\*\* = OTC/VOC Compliant in Quarts Only

Products not bolded are not yet MPI approved but represent the quality intent of the MPI specification.

MPI Specifications for MAB Paints/Sherwin-Williams Products

	Category Name	Products	Item #	E Range	LEED Compliant (Yes/No)	LEED Compliant Alternative
120	Epoxy, High Build, Self Priming, Low Gloss	No Offering				
<a href="#">121</a>	<a href="#">Top-Coat for Multicolored Coating, Clear</a>	<b>Multispec Waterborne Clear, Low Sheen &amp; Gloss</b>	1560440 / 1560432	E2	No	
<a href="#">122</a>	<a href="#">Lacquer, Pigmented, Satin</a>	<b>Opex Production Lacquer - Satin</b>	M60B17	* E0	No	
<a href="#">123</a>	<a href="#">Lacquer, Pigmented, Semi-Gloss</a>	<b>Opex Production Lacquer - Semi-Gloss</b>	M60B8	* E1	No	
<a href="#">124</a>	<a href="#">Lacquer, Pigmented, Gloss</a>	<b>Opex Production Lacquer - Gloss</b>	M61W34	* E1	No	
125	Primer Sealer, for Multicolor Systems	Prime Fast Interior Latex Drywall Primer	MB037138	E2	Yes	
<a href="#">126</a>	<a href="#">Fire Retardant Top-Coat, Exterior, Low Sheen (ULC Approved)</a>	<b>Flame Control #149 Class A Exterior Alkyd Intumescent</b>	4555439	* E1	N/A	
<a href="#">127</a>	<a href="#">Deck Coating, Latex, Exterior</a>	<b>S-W ArmorSeal Tread Plex Acrylic WB Floor Coating</b>	B90W100 series	E2	Yes	
<a href="#">128</a>	<a href="#">Varnish, Water Based, Clear, Satin</a>	<b>Minwax Polycrylic Clear, Satin</b>	1544816	E0	No	
<a href="#">129</a>	<a href="#">Varnish, Water Based, Clear, Semi-Gloss</a>	<b>Minwax Polycrylic Clear, Semi-Gloss</b>	1544774	E1	No	
<a href="#">130</a>	<a href="#">Varnish, Water Based, Clear, Gloss</a>	<b>Minwax Polycrylic Clear, Gloss</b>	1544733	E1	No	
131	Dry Fall, Water Based, for Galvanized Steel, MPI Gloss Level 2/3	S-W Waterborne Acrylic Dry Fall Eg-Shel	K42W2 series	E2	Yes	
132	Elastomeric, Exterior, Industrial Grade, Water Based	Product Category Under Development	MB073189			
133	Dry Fall, Water Based, for Galvanized Steel, Flat (MPI Gloss Level 1)	Master Painters Dry Fall Interior Latex Flat	MB013171	E3	Yes	
134	Primer, Galvanized, Water Based	HydroPrime Acrylic Metal Primer	MB073189	E3	Yes	
135	Primer, Galvanized Metal, Non-Cementitious	S-W Galvite HS	B50W230	E3	No	

**Bold** = MPI Approved Product List

\* = Not OTC/VOC Compliant

\*\* = OTC/VOC Compliant in Quarts Only

Products not bolded are not yet MPI approved but represent the quality intent of the MPI specification.

MPI Specifications for MAB Paints/Sherwin-Williams Products

	Category Name	Products	Item #	E Range	LEED Compliant (Yes/No)	LEED Compliant Alternative
<a href="#">136</a>	<a href="#">Primer, Stain Blocking</a>	<b>Lok-Tite Stain Blocker Alkyd Primer Sealer</b>	MB037159		Yes, LEED-CI	Yes, LEED-CI Program only
<a href="#">137</a>	<a href="#">Primer, Stain Blocking, Water Based</a>	<b>Lok Tite Acrylic Primer and Stain Sealer</b>	MB056159/145	E2	Yes	
138	Latex, Interior, High Performance, ('velvet-like' – MPI Gloss Level 2)	Rich Lux Interior Latex Eggshell	MB029150	E1	Yes	
139	Latex, Interior, High Performance, ('eggshell-like' – MPI Gloss Level 3)	Rich Lux Interior Latex Low Lustre	MB028150	E2	Yes	
140	Latex, Interior, High Performance, ('satin-like' – MPI Gloss Level 4)	S-W PRO INDUST Pre-Catalyzed Waterbased Epoxy Eg-Shel	K45-150 series	E3	Yes	
141	Latex, Interior, High Performance, Semi-Gloss (MPI Gloss Level 5)	Rust-O-Lastic "DTM" Acrylic Semi-Gloss Coating	MB263 series	E1	Yes	
<a href="#">143</a>	<a href="#">Latex, Interior, Institutional Low Odor/VOC, Flat (MPI Gloss Level 1)</a>	<b>Enviro-Pure Interior Acrylic Latex Flat</b>	MB040160	E3	Yes	
<a href="#">144</a>	<a href="#">Latex, Interior, Institutional Low Odor/VOC, ('velvet-like' - MPI Gloss Level 2)</a>	<b>Enviro-Pure Interior Acrylic Eggshell</b>	MB045160	E3	Yes	
145	Latex, Interior, Institutional Low Odor/VOC, ('eggshell-like' – MPI Gloss Level 3)	Enviro-Pure Interior Acrylic Eggshell	MB045160	E3	Yes	
146	Latex, Interior, Institutional Low Odor/VOC, ('satin-like' – MPI Gloss Level 4)	No Offering				
147	Latex, Interior, Institutional Low Odor/VOC, Semi-Gloss (MPI Gloss Level 5)	Enviro-Pure Interior Acrylic Latex Semi-Gloss	MB047160	E3	Yes	
148	Latex, Interior, Institutional Low Odor/VOC, Gloss (MPI Gloss Level 6)	No Offering				
149	Primer Sealer, Interior, Institutional Low Odor/VOC	Enviro-Pure Interior Latex Primer	MB037195	E3	Yes	

**Bold** = MPI Approved Product List

\* = Not OTC/VOC Compliant

\*\* = OTC/VOC Compliant in Quarts Only

Products not bolded are not yet MPI approved but represent the quality intent of the MPI specification.

MPI Specifications for MAB Paints/Sherwin-Williams Products

	Category Name	Products	Item #	E Range	LEED Compliant (Yes/No)	LEED Compliant Alternative
151	Light Industrial Coating, Interior, Water Based ('eggshell-like' – MPI Gloss Level 3)	S-W PRO INDUST Pre-Catalyzed Waterbased Epoxy Eg-Shel	K45-150 series	E2	Yes	
153	Light Industrial Coating, Interior, Water Based, Semi-Gloss (MPI Gloss Level 5)	S-W PRO INDUST Pre-Catalyzed Waterbased Epoxy Semi-Gloss	K46-150 series	E2	Yes	
154	Light Industrial Coating, Interior, Water Based, Gloss (MPI Gloss Level 6)	Rust-O-Lastic "DTM" Acrylic Gloss Coating	MB243 series	E3	Yes	
155	Dry Fall, Latex, Non-Flat	S-W Waterborne Acrylic Dry Fall Eg-Shel	K42W2 series	E2	Yes	
156	Stain, Exterior, Water Based, Semi-Transparent	DeckScapes Exterior Waterborne Toner	A15T452	E1	N/A	
157	Alkyd, Water Based, Gloss (MPI Gloss Level 6)	SW Water Based Industrial Enamel	B53W311 series	E0	No	S-W PRO IND Industrial En 100
158	Dry-Fall, Water Based, for Galvanized Steel, MPI Gloss Levels 4/5	Master Painters Dry Fall Interior Latex Semi-Gloss	MB017171	E2	Yes	
161	Light Industrial Coating, Exterior, Water Based ('eggshell-like' – MPI Gloss Level 3)	No Offering				
163	Light Industrial Coating, Exterior, Water Based, Semi-Gloss (MPI Gloss Level 5)	Sea Shore Exterior 100% Acrylic Semi-Gloss Trim En	MB024150	E3	N/A	
164	Light Industrial Coating, Exterior, Water Based, Gloss (MPI Gloss Level 6)	<b>S-W Sher-Cryl HPA Gloss</b>	B66W311	E2	N/A	
173	Shop Coat, Quick Dry, for Interior Steel	No Offering				
181	Varnish, Interior, Water-Based, Clear, Low Gloss	Minwax Polycrylic Clear, Satin	1544816	E1	Yes	
194	Varnish, Exterior, Water Based, Clear, MPI Gloss Level 4	Minwax Helmsman Water-Based Spar Urethane, Satin	650102742	E2	Yes	Not recommended for interior floors
195	Varnish, Exterior, Water Based, Clear, (Semi-Gloss) MPI Gloss Level 5	Minwax Helmsman Water-Based Spar Urethane, Semi-Gloss	650102718	E2	Yes	Not recommended for interior floors

**Bold** = MPI Approved Product List

\* = Not OTC/VOC Compliant

\*\* = OTC/VOC Compliant in Quarts Only

Products not bolded are not yet MPI approved but represent the quality intent of the MPI specification.

MPI Specifications for MAB Paints/Sherwin-Williams Products

	Category Name	Products	Item #	E Range	LEED Compliant (Yes/No)	LEED Compliant Alternative
196	Varnish, Exterior, Water Based, Clear, (Gloss) MPI Gloss Level 6	Minwax Helmsman Water-Based Spar Urethane, Gloss	650102676	E2	Yes	Not recommended for interior floors
200	Varnish, Exterior, Water Based, Clear, MPI (Semi-Gloss) Gloss Level 5	No Offering				
201	Polyurethane, Moisture Cured, Pigmented, Intermediate Coat	No Offering				
202	Polyurethane, Moisture Cured, Pigmented, Semi-Gloss (MPI Gloss Level 5)	No Offering				
203	Polyurethane, Moisture Cured, Pigmented, Gloss (MPI Gloss Level 6)	No Offering				
<a href="#">212</a>	<a href="#">Floor Coating, Thin Film, for Aircraft Maintenance Facilities</a>	<b>S-W ArmorSeal 1000 Epoxy Floor Enamel</b> <b>S-W ArmorSeal HS Polyurethane Floor Enamel</b>	B67W02001/B67V02002 B65W00220/B65V00220	n/a	No	Call for recommendation
213	Barrier Coating, Two Coat, Low VOC for Industrial Maintenance	No Offering				
214	Latex, Exterior, Low Luster	Sea Shore Exterior 100% Acrylic Satin House Paint	MB060150	E2	N/A	
215	Epoxy, Water Based, Interior, Semi-Gloss (MPI Gloss Level 5)	S-W Water Based Catalyzed Epoxy, Semi-Gloss	B70 series	E2	Yes, WB only	LEED Compliant in Extra White bsonly
<a href="#">225</a>	<a href="#">Dry Fall, Alkyd, Semi-Gloss (MPI Gloss Level 5)</a>	<b>S-W Super Save-Lite Alkyd Dry Fall, Semi-Gloss</b>	B47W00062	E2	No	
226	Dry Fall, Latex, Semi-Gloss	Master Painters Dry Fall Interior Latex Semi-Gloss	MB017171	E2	Yes	
275	Primer, Quick Dry, for Shop Application to Interior Steel	Rust-O-Lastic Alkyd Shop Primer, Gray and Red	MB073299 and MB073499	E3	No	Dura Clad 62 Univ Acrylic Metal Pr

**Bold** = MPI Approved Product List

\* = Not OTC/VOC Compliant

\*\* = OTC/VOC Compliant in Quarts Only

Products not bolded are not yet MPI approved but represent the quality intent of the MPI specification.

MPI Specifications for MAB Paints/Sherwin-Williams Products

	Category Name	Products	Item #	E Range	LEED Compliant (Yes/No)	LEED Compliant Alternative
<a href="#">301</a>	<a href="#">Primer, Epoxy, Water Based, Anti-Corrosive, for Metal</a>	<b>S-W Waterbased Tile-Clad Epoxy Primer</b>	B73A00200/B73V00200	E3	Yes	

**Bold** = MPI Approved Product List

\* = Not OTC/VOC Compliant

\*\* = OTC/VOC Compliant in Quarts Only

Products not bolded are not yet MPI approved but represent the quality intent of the MPI specification.